ELSEVIER

European Journal of Pharmacology 253 (1994) 329–331

ejp

Author index

Ahlenius, S., see Salmi, P. (253) 67
Alcaraz, M.J., see Ferrándiz, M.L. (253) 75
Amenta, F., see Kobayashi, Y. (253) 201
Anderson, D.J. and Arneric, S.P.
Nicotinic receptor binding of [^{3}H]cytisine, [^{3}H]nicotine and [^{3}H]methylcarbamylcholine in rat brain (253) 261
Arneric, S.P., see Anderson, D.J. (253) 261

Barak, Y., see Shany, E. (253) 231
Basilico, L., see Massi, P. (253) 269
Bauer, J.A., see Paik, S.H. (253) 101
Bazzani, C., Nardi, M.G., Ferrante, F., Bertolini, A. and Guarini, S.
Dopamine D_1 receptors are involved in the ACTH-induced reversal of hemorrhagic shock (253) 303
Beaulé, C., see Godin, D. (253) 225
Bendele, A.M., see Stengel, P.W. (253) 253
Bendotti, C., see Cervo, L. (253) 139
Benedek, G., see Horváth, G. (253) 61
Berendsen, H.H.G. and Broekkamp, C.L.E.
Comparison of stimulus properties of fluoxetine and 5-HT receptor agonists in a conditioned taste aversion procedure (253) 83
Bertolini, A., see Bazzani, C. (253) 303
Bristow, L.J. and Young, L.
Chromodacryorrhea and repetitive hind paw tapping: models of peripheral and central tachykinin NK_1 receptor activation in gerbils (253) 245
Broekkamp, C.L.E., see Berendsen, H.H.G. (253) 83
Brouard, A., Heaulme, M., Leyris, R., Pelaprat, D., Gully, D., Kitabgi, P., Le Fur, G. and Rostene, W.
SR 48692 inhibits neurotensin-induced [^{3}H]dopamine release in rat striatal slices and mesencephalic cultures (253) 289
Brown, G., see Chien, C.-C. (253) R7
Brzozowski, T., see Konturek, S.J. (253) 107
Bustos, G., see Ferrándiz, M.L. (253) 75

Cagnotto, A., see Cervo, L. (253) 139
Camarao, G.C., see Paik, S.H. (253) 101
Camargo, A.C.M., see Paik, S.H. (253) 101
Carter, M., see Von Lubitz, D.K.J.E. (253) 95
Cataldi, M., Magnan, E., Guillaume, V., Héry, F., Dutour, A., Rettori, M.-C., Kamoun, A. and Oliver, C.
Effect of tianeptine on the hypothalamic somatotropic axis in the conscious sheep (253) 149
Cervo, L., Bendotti, C., Tarizzo, G., Cagnotto, A., Skorupska, M., Mennini, T. and Samanin, R.
Potential antidepressant properties of SR 57746A, a novel compound with selectivity and high affinity for 5-HT_{1A} receptors (253) 139
Chapman, K.L., see Patel, S. (253) 237
Chen, N.-H., see Reith, M.E.A. (253) 175
Chien, C.-C., Brown, G., Pan, Y.-X. and Pasternak, G.W.
Blockade of U50,488H analgesia by antisense oligodeoxynucleotides to a κ-opioid receptor (253) R7
Cockerham, S.L., see Stengel, P.W. (253) 253
Coffey, L.L., see Reith, M.E.A. (253) 175
Coric, P., see Noble, F. (253) 283
Costentin, J., see Dourmap, N. (253) R9
Currie, M.G., see Kasten, T.P. (253) 35

De Boer, T., Nefkens, F. and Van Helvoirt, A.
The α_2-adrenoceptor antagonist Org 3770 enhances serotonin transmission in vivo (253) R5
De Rosa, S., see Ferrándiz, M.L. (253) 75
Doods, H.N., Entzeroth, M., Ziegler, H., Mayer, N. and Holzer, P.
Pharmacological profile of selective muscarinic receptor antagonists on guinea-pig ileal smooth muscle (253) 275
Dourmap, N. and Costentin, J.
Involvement of glutamate receptors in the striatal enkephalin-induced dopamine release (253) R9
Drapeau, G., see Godin, D. (253) 225
Dutour, A., see Cataldi, M. (253) 149

Enomori, T., see Miyake, A. (253) 155
Entzeroth, M., see Doods, H.N. (253) 275

Farges, R.C., see Paik, S.H. (253) 101
Ferrándiz, M.L., Sanz, M.J., Bustos, G., Payá, M., Alcaraz, M.J. and De Rosa, S.
Avarol and avarone, two new anti-inflammatory agents of marine origin (253) 75
Ferrante, F., see Bazzani, C. (253) 303
Fournié-Zaluski, M.-C., see Noble, F. (253) 283
Freedman, S.B., see Patel, S. (253) 237
Funder, J., see Jefferys, D. (253) 91

Gavish, M., see Shany, E. (253) 231
Geller, E., see Shany, E. (253) 231
Gettinby, G., see McKellar, Q.A. (253) 191
Giagnoni, G., see Massi, P. (253) 269
Godin, D., Marceau, F., Beaulé, C., Rioux, F. and Drapeau, G.
Aminopeptidase modulation of the pharmacological responses to synthetic thrombin receptor agonists (253) 225
Gold, L.H., Stinus, L., Inturrisi, C.E. and Koob, G.F.
Prolonged tolerance, dependence and abstinence following subcutaneous morphine pellet implantation in the rat (253) 45
Gori, E., see Massi, P. (253) 269
Guarini, S., see Bazzani, C. (253) 303
Guillaume, V., see Cataldi, M. (253) 149
Guillén, J., see Luquin, M.R. (253) 215
Gully, D., see Brouard, A. (253) 289

Halpern, P., see Shany, E. (253) 231
Hasharoni, A., see Shany, E. (253) 231
Heald, A., see Patel, S. (253) 237
Heaulme, M., see Brouard, A. (253) 289
Héry, F., see Cataldi, M. (253) 149
Hirokami, M., Togashi, H., Matsumoto, M., Yoshioka, M. and Saito, H.
The functional role of opioid receptors in acetylcholine release in the rat adrenal medulla (253) 9

Hochhauser, E., see Shany, E. (253) 231
Holtman, Jr., J.R. and King, K.A.
Effect of activation of 5-HT_{1A} receptors at the ventral medulla on phrenic nerve activity (253) 307
Holzer, P., see Doods, H.N. (253) 275
Horváth, G., Kovács, M., Szikszay, M. and Benedek, G.
Mydriatic and antinociceptive effects of intrathecal dexmedetomidine in conscious rats (253) 61
Huang, N.-Y. and Kostrzewa, R.M.
Enhanced oral activity response to A77636 in neonatal 6-hydroxydopamine-lesioned rats (253) 163

Imai, S., see Nakazawa, M. (253) 179
Inada, Y., see Wada, T. (253) 27
Inturrisi, C.E., see Gold, L.H. (253) 45
Iwamoto, Y., see Kamei, J. (253) 293

Jacobson, K.A., see Von Lubitz, D.K.J.E. (253) 95
Jefferys, D. and Funder, J.
The effect of water temperature on immobility in the forced swimming test in rats (253) 91
Ji, X.-d., see Von Lubitz, D.K.J.E. (253) 95

Kamei, J., Iwamoto, Y., Misawa, M., Nagase, H. and Kasuya, Y.
Antitussive effect of [Met^5]enkephalin-Arg^6-Phe^7 in mice (253) 293
Kamoun, A., see Cataldi, M. (253) 149
Karlsson, T., see Salmi, P. (253) 67
Kasten, T.P., Settle, S.L., Misko, T.P., Currie, M.G. and Nickols, G.A.
Manganese potentiation of nitric oxide-mediated vascular relaxation (253) 35
Kasuya, Y., see Kamei, J. (253) 293
Kawashima, H., see Miyake, A. (253) 155
Keegan, K.D., Woodruff, G.N. and Pinnock, R.D.
The pharmacology of neurotensin analogues on neurones in the rat substantia nigra, pars compacta in vitro (253) 131
King, K.A., see Holtman, Jr., J.R. (253) 307
Kitabgi, P., see Brouard, A. (253) 289
Kitamura, Y., Nagatani, T. and Watanabe, T.
Buspirone enhances head twitch behavior in mice (253) 297
Kobayashi, Y., Ricci, A. and Amenta, F.
Autoradiographic localization of dopamine D_1-like receptors in the rabbit pulmonary circulation (253) 201
Koivisto, E., see Pitkänen, M. (253) 125
Konturek, S.J., Brzozowski, T., Stachura, J. and Majka, J.
Role of neutrophils and mucosal blood flow in gastric adaptation to aspirin (253) 107
Koob, G.F., see Gold, L.H. (253) 45
Kostrzewa, R.M., see Huang, N.-Y. (253) 163
Kovács, M., see Horváth, G. (253) 61
Krieglstein, J., see Lippert, K. (253) 207

Laguna, J., see Luquin, M.R. (253) 215
Lahtinen, H., see Pitkänen, M. (253) 125
Lees, P., see McKellar, Q.A. (253) 191
Le Fur, G., see Brouard, A. (253) 289
Leite, P.E.P., see Paik, S.H. (253) 101
Leyris, R., see Brouard, A. (253) 289
Lippert, K., Welsch, M. and Krieglstein, J.
Over-additive protective effect of dizocilpine and NBQX against neuronal damage (253) 207
Lucot, J.B.
Antiemetic effects of flesinoxan in cats: comparisons with 8-hydroxy-2-(di-*n*-propylamino)tetralin (253) 53
Luquin, M.R., Guillén, J., Martínez-Vila, E., Laguna, J. and Martínez-Lage, J.M.
Functional interaction between dopamine D_1 and D_2 receptors in 'MPTP' monkeys (253) 215

Magnan, E., see Cataldi, M. (253) 149
Majka, J., see Konturek, S.J. (253) 107
Marceau, F., see Godin, D. (253) 225
Martínez-Lage, J.M., see Luquin, M.R. (253) 215
Martínez-Vila, E., see Luquin, M.R. (253) 215
Massi, P., Giagnoni, G., Basilico, L., Gori, E., Rubino, T. and Parolaro, D.
Intestinal effect of morphine 6-glucuronide: in vivo and in vitro characterization (253) 269
Matsumoto, M., see Hirokami, M. (253) 9
Maurer, J.A. and McKay, D.B.
Staurosporine-induced reduction of secretory function in cultured bovine adrenal chromaffin cells (253) 115
Mayer, N., see Doods, H.N. (253) 275
McKay, D.B., see Maurer, J.A. (253) 115
McKellar, Q.A., Lees, P. and Gettinby, G.
Pharmacodynamics of tolfenamic acid in dogs. Evaluation of dose response relationships (253) 191
Mennini, T., see Cervo, L. (253) 139
Millan, M.J., see Seguin, L. (253) R1
Misawa, M., see Kamei, J. (253) 293
Misko, T.P., see Kasten, T.P. (253) 35
Miyake, A., Yamamoto, H., Enomori, T. and Kawashima, H.
Exogenous group II phospholipase A_2 induces prostaglandin E_2 production in mouse peritoneal macrophages (253) 155

Nagase, H., see Kamei, J. (253) 293
Nagatani, T., see Kitamura, Y. (253) 297
Nakazawa, M. and Imai, S.
Rp-8-Br-guanosine-3′,5′-cyclic monophosphorothioate inhibits relaxation elicited by nitroglycerin in rabbit aorta (253) 179
Nardi, M.G., see Bazzani, C. (253) 303
Nefkens, F., see De Boer, T. (253) R5
Nickols, G.A., see Kasten, T.P. (253) 35
Nilsson, S.F.E.
PACAP-27 and PACAP-38: vascular effects in the eye and some other tissues in the rabbit (253) 17
Nishikawa, K., see Wada, T. (253) 27
Noble, F., Coric, P., Turcaud, S., Fournié-Zaluski, M.-C. and Roques, B.P.
Assessment of physical dependence after continuous perfusion into the rat jugular vein of the mixed inhibitor of enkephalin-degrading enzymes, RB 101 (253) 283
Noda, M., see Wada, T. (253) 27

Ohno, M., Yamamoto, T. and Watanabe, S.
Intrahippocampal administration of a glycine site antagonist impairs working memory performance of rats (253) 183
Ojima, M., see Wada, T. (253) 27
Oliveira, E.S., see Paik, S.H. (253) 101
Oliver, C., see Cataldi, M. (253) 149

Paik, S.H., Camarao, G.C., Bauer, J.A., Leite, P.E.P., Oliveira, E.S., Camargo, A.C.M. and Farges, R.C.
Effects of morphine withdrawal syndrome on endo-oligopeptidase (EC 3.4.22.19) activity (253) 101
Pan, Y.-X., see Chien, C.-C. (253) R7
Parolaro, D., see Massi, P. (253) 269
Pasternak, G.W., see Chien, C.-C. (253) R7
Patel, S., Chapman, K.L., Heald, A., Smith, A.J. and Freedman, S.B.
Measurement of central nervous system activity of systemically administered CCK_B receptor antagonists by ex vivo binding (253) 237
Paul, I.A., see Von Lubitz, D.K.J.E. (253) 95
Payá, M., see Ferrándiz, M.L. (253) 75
Pelaprat, D., see Brouard, A. (253) 289

Pinnock, R.D., see Keegan, K.D. (253) 131
Pitkänen, M., Sirviö, J., Lahtinen, H., Koivisto, E. and Riekkinen, P.
d-Cycloserine, a partial agonist at the glycine site, enhances the excitability of dentate granule cells in vivo in rats (253) 125

Radhakrishnan, R., see Sim, M.K. (253) 171
Rebec, G.V., see White, I.M. (253) 167
Reith, M.E.A., Coffey, L.L., Xu, C. and Chen, N.-H.
GBR 12909 and 12935 block dopamine uptake into brain synaptic vesicles as well as nerve endings (253) 175
Rettori, M.-C., see Cataldi, M. (253) 149
Ricci, A., see Kobayashi, Y. (253) 201
Riekkinen, P., see Pitkänen, M. (253) 125
Rioux, F., see Godin, D. (253) 225
Roques, B.P., see Noble, F. (253) 283
Rostene, W., see Brouard, A. (253) 289
Rubino, T., see Massi, P. (253) 269

Saito, H., see Hirokami, M. (253) 9
Salmi, P., Karlsson, T. and Ahlenius, S.
Antagonism by SCH 23390 of clozapine-induced hypothermia in the rat (253) 67
Samanin, R., see Cervo, L. (253) 139
Sanada, T., see Wada, T. (253) 27
Sanz, M.J., see Ferrándiz, M.L. (253) 75
Seguin, L. and Millan, M.J.
The glycine B receptor partial agonist, (+)-HA 966, enhances induction of antinociception by RP 67580 and CP-99,994 (253) R1
Settle, S.L., see Kasten, T.P. (253) 35
Shany, E., Hochhauser, E., Halpern, P., Vidne, B., Gavish, M., Geller, E., Hasharoni, A., Barak, Y. and Yakirevich, V.
Ro 5-4864 has a negative inotropic effect on human atrial muscle strips that is not antagonized by PK 11195 (253) 231
Sharonova, I.N., see Vorobjev, V.S. (253) 1
Shibouta, Y., see Wada, T. (253) 27
Silbaugh, S.A., see Stengel, P.W. (253) 253
Sim, M.K. and Radhakrishnan, R.
Effect of pentobarbital and chlordiazepoxide on the central pressor action of angiotensins in normo- and hypertensive rats (253) 171
Sirviö, J., see Pitkänen, M. (253) 125
Skorupska, M., see Cervo, L. (253) 139
Smith, A.J., see Patel, S. (253) 237
Stachura, J., see Konturek, S.J. (253) 107
Stengel, P.W., Bendele, A.M., Cockerham, S.L. and Silbaugh, S.A.
Effect of dexamethasone on A23187-induced airway responses in the guinea pig (253) 253
Stinus, L., see Gold, L.H. (253) 45
Szikszay, M., see Horváth, G. (253) 61

Tarizzo, G., see Cervo, L. (253) 139
Togashi, H., see Hirokami, M. (253) 9
Turcaud, S., see Noble, F. (253) 283

Van Helvoirt, A., see De Boer, T. (253) R5
Vidne, B., see Shany, E. (253) 231
Von Lubitz, D.K.J.E., Paul, I.A., Ji, X.-d., Carter, M. and Jacobson, K.A.
Chronic adenosine A_1 receptor agonist and antagonist: effect on receptor density and *N*-methyl-D-aspartate induced seizures in mice (253) 95
Vorobjev, V.S. and Sharonova, I.N.
Tetrahydroaminoacridine blocks and prolongs NMDA receptor-mediated responses in a voltage-dependent manner (253) 1

Wada, T., Inada, Y., Sanada, T., Ojima, M., Shibouta, Y., Noda, M. and Nishikawa, K.
Effect of an angiotensin II receptor antagonist, CV-11974, and its prodrug, TCV-116, on production of aldosterone (253) 27
Watanabe, S., see Ohno, M. (253) 183
Watanabe, T., see Kitamura, Y. (253) 297
Welsch, M., see Lippert, K. (253) 207
White, I.M. and Rebec, G.V.
Performance on a lever-release, conditioned avoidance response task involves both dopamine D_1 and D_2 receptors (253) 167
Woodruff, G.N., see Keegan, K.D. (253) 131

Xu, C., see Reith, M.E.A. (253) 175

Yakirevich, V., see Shany, E. (253) 231
Yamamoto, H., see Miyake, A. (253) 155
Yamamoto, T., see Ohno, M. (253) 183
Yoshioka, M., see Hirokami, M. (253) 9
Young, L., see Bristow, L.J. (253) 245

Ziegler, H., see Doods, H.N. (253) 275